

# TALAMEX

Aqualine











## TALAMEX AQUALINE: Affordable quality

---

You are looking for an affordable boat, suitable for young and old and with a nice standard equipment? Then the Talamex Aqualine is the boat for you!

Talamex Aqualine inflatable boats are complete boats with a basic equipment. In the standard package of the Aqualine inflatable boats you will find: repair kit, sliding seat, oars, stainless steel towing D-rings, mooring line, stowbag, fender on the boats for extra protection and a hand pump. The boats are available with a slatted or air floor, in length ranging from 200 cm till 350 cm. On all boats is a 2 year warranty and all Talamex boats are CE certified by the Dutch Marine Inspection making them meet all European requirements!

## A smart range

---

There are 3 different models available. All of high quality, but distinctive in the floor of the boat.

QLS Slatted floor:

Conveniently small packed and ready to go quickly.

QLA Air floor:

The inflatable floor and keel create a V-shape floor, which give the boat good sailing qualities.

QLX Aluminium floor:

The aluminium floor provides great strength and stability and is virtually maintenance-free.

# Fully equipped



- ① Stainless Steel towing D-rings
- ② Rubbing strake
- ③ Long holding line for extra security
- ④ Aluminium oars
- ⑤ Adjustable sliding seat
- ⑥ Minimum of 3 air chambers
- ⑦ Luxurious sliding drainvalve
- ⑧ 1100 decitex fabric
- ⑨ Solid endcones



### Three chamber system

---

All Talamex Aqualine models have a minimum of 3 air-chambers for maximum security.



### Luxurious sliding drainvalve

---

From the inside controlled sliding drainvalve.



### Adjustable seat

---

On severable positions adjustable sliding seat.



### Rubbing strake

---

Rubbing strake around the boat which protects the tubes.



### SS bow handle

---

Strong SS bow handle.



### Aluminium oars

---

Standard equipped with strong aluminium oars.



### Handpump

---

Boat includes a handpump for bringing the boat to optimal air pressure.



### Safety line

---

Long safety line for extra security.

# QLS-Slatted floor

QLS 200 230 250

## The ideal tenderboat

The Talamex Aqualine QLS with slatted floor is a boat without an inflatable keel. The boat is quickly ready to go and can be packed conveniently. Thanks to the slatted floor, the boat is easy to roll up and light in weight. This makes launching very easy. The QLS-Slatted floor is very suited for shorter sailing trips or as tenderboat.



Boat type	Max. load weight (kg)	Max. engine in kW/HP	Max. persons (+1=child)	Max. Passengers (+1=Child)	Number of air chambers	Length x Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)	Transom height
<b>85.909.000 QLS200</b>	300	1,8/2,5	20	2	3	200 x 134	36	18	short
<b>85.909.030 QLS230</b>	325	2,9/4,0	25	2+1	3	230 x 134	36	20	short
<b>85.909.050 QLS250</b>	350	3,7/5,0	30	2+1	3	250 x 152	42	23	short

## Comfortable and convenient

The Talamex Aqualine QLA with air floor is a boat with a keel. This creates a v-bottom that benefits the sailing characteristics. Thanks to the v-bottom it is possible to have the boat planing. In addition the inflatable bottom increases the sitting comfort and preparing the boat is easy. The ideal tender boat with excellent sailing characteristics.



Boat type	Max. load weight (kg)	Max. engine in kW/HP	Max. persons (+1=child)	Max. Passengers (+1=Child)	Number of air chambers	Length x Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)	Transom height
<b>85.909.230 QLA230</b>	350	2,9/4,0	30	2+1	3+1+1	230 x 134	36	26	short
<b>85.909.250 QLA250</b>	400	4,4/6,0	30	2+1	3+1+1	250 x 152	42	28	short
<b>85.909.270 QLA270</b>	410	4,4/6,0	30	3	3+1+1	270 x 152	42	29	short
<b>85.909.300 QLA300</b>	425	7,4/10,0	45	4	3+1+1	300 x 152	42	31	short
<b>85.909.350 QLA350</b>	490	11,0/15,0	60	5	3+1+1	350 x 180	45	40	short

# QLX-Aluminium floor

QLX 250 270 300 350

## Robust and comfort

The Talamex Aqualine QLX boat with aluminium floor is also equipped with an inflatable keel. Because of the keel, the boat has a V-shape bottom, that gives the boat excellent sailing and rowing characteristics. The aluminium floor ensures great firmness and stability and is maintenance-free. This boat is well suited to hang in the davits and as holiday boat. The aluminium floor takes more time to built then an air floor boat.



Boat type	Max. load weight (kg)	Max. engine in kW/HP	Max. persons (+1=child)	Max. Passengers (+1=Child)	Number of air chambers	Length x Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)	Transom height
<b>85.909.450 QLX250</b>	400	4,4/6,0	30	2+1	3+1	250 x 152	42	32	short
<b>85.909.470 QLX270</b>	410	4,4/6,0	30	3	3+1	270 x 152	42	40	short
<b>85.909.500 QLX300</b>	425	7,4/10,0	45	4	3+1	300 x 152	42	46	short
<b>85.909.550 QLX350</b>	490	11,0/15,0	60	5	3+1	350 x 180	45	56	short



# Electric outboard engines

TM 30 40 48 58 66 86

Combine your Talamex Aqualine boat with a Talamex electric outboard engine!

- Telescopic tiller with 5 forward and 3 reverse gears
- Suitable for fresh, brackish and salt water
- Immersion depth and infinitely adjustable steering pressure
- Battery charging control display
- Battery clamps



Article number	Description	Max. boatweight (kg)	Shaft length (mm)	Tiller	Weight (kg)
<b>85.804.030</b>	Talamex electric outboard engine TM30 12V	850	760	Telescopic	7,2
<b>85.804.031</b>	Talamex electric outboard engine TM40 12V	1.200	910	Telescopic	8,8
<b>85.804.032</b>	Talamex electric outboard engine TM48 12V	1.450	910	Telescopic	8,8
<b>85.804.033</b>	Talamex electric outboard engine TM58 12V	1.850	910	Telescopic	10,0
<b>85.804.034</b>	Talamex electric outboard engine TM66 12V	2.200	910	Telescopic	11,5
<b>85.804.035</b>	Talamex electric outboard engine TM86 24V	2.500	910	Telescopic	12,5
<b>85.804.026</b>	Eyeterminal wire kit (optional)				
<b>85.922.215</b>	Bracket for electric outboard engine				
<b>14.641.105</b>	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 30A				
<b>14.641.106</b>	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 50A				
<b>14.661.100</b>	Talamex automatic battery charger 10A, 12/24V				

# Mariner Outboard Engines

F2.5M F3.5M F4M F5M F6M F8M F9.9M

Mariner has a great reputation with its outboard engines. As reliable as the engines of Mariner there are few other brands. Just carefree years sailing pleasure.

The Mariner range at LankhorstTaselaar starts at the light 2,5HP engines for smaller boats to the heavier four stroke engines for larger boats! So there is always a model that fits your use and type of boat.

Article number	Description	Engine power in kW	Engine power in PS
<b>98.000.120</b>	Mariner F 2.5 M	1,9	2,5
<b>98.000.121</b>	Mariner F 3.5 M	2,6	3,5
<b>98.000.123</b>	Mariner F 4 M	2,9	4,0
<b>98.000.126</b>	Mariner F 5 M	3,7	5,0
<b>98.000.128</b>	Mariner F 6 M	4,4	6,0
<b>98.000.130</b>	Mariner F 8 M	5,9	8,0
<b>98.000.131</b>	Mariner F 9.9 M	7,3	9,9



# Accessories Mariner Outboard Engines

Article number	Description
<b>81.211.105</b>	Jerrycan fuel black 5l (264 x 140 x 246mm)
<b>81.211.110</b>	Jerrycan fuel black 10l (325 x 165 x 318mm)
<b>81.211.120</b>	Jerrycan fuel black 20l (389 x 213 x 388mm)
<b>18.702.012</b>	Carry can fuel 12l (260 x 460 x 220mm)
<b>18.702.000</b>	Carry can fuel 22l (320 x 540 x 235mm) with indicator
<b>18.702.023</b>	Carry can fuel 22l (320 x 540 x 235mm)
<b>18.702.030</b>	Carry can fuel 30l (360 x 500 x 230)
<b>91.101.810</b>	Outboard Cover XXS for 2,5-5HP (LxWxH: 40 x 25 x 30cm)
<b>91.101.811</b>	Outboard Cover XS for 2,5-15HP (LxWxH: 48 x 27 x 33cm)
<b>18.701.001</b>	Fuel hose with pump ball - 2m, Ø 9,5mm (3/8")
<b>75.460.100</b>	Tiller extension for outboards 60-120cm, Ø 25-30mm
<b>42.130.100</b>	Outboard motor lock with stainless steel AISI 316 cylinder lock. Dim.: 300 x 40 x 35mm





# Accessories

Article number	Description
<b>85.922.108</b>	Seatbag with cushion grey - 120x20cm
<b>85.922.109</b>	Seatbag with cushion grey - 105x20cm
<b>85.922.110</b>	Seatbag with cushion grey - 100x20cm
<b>85.922.111</b>	Seatbag with cushion grey - 90x20cm
<b>85.922.112</b>	Seatbag with cushion grey - 85x20cm
<b>85.922.113</b>	Seatbag with cushion grey - 80x20cm
<b>94.100.020</b>	Drybag 5L
<b>94.100.021</b>	Drybag 10L
<b>94.100.022</b>	Drybag 15L
<b>85.922.123</b>	Pressure gauge for handpump
<b>85.922.040</b>	Handpump standard valve Talamex
<b>85.922.214</b>	Anchor line holder for inflatable boat



# Accessories

Article number	Description
<b>77.203.001</b>	Folding anchor 1,5kg
<b>77.203.002</b>	Folding anchor 2,5kg
<b>77.203.003</b>	Folding anchor 3,2kg
<b>77.203.004</b>	Folding anchor 4kg
<b>77.203.006</b>	Folding anchor 6kg
<b>79.625.102</b>	Boarding ladder for inflatables aluminium 2 steps
<b>79.625.103</b>	Boarding ladder for inflatables aluminium 3 steps
<b>85.540.174</b>	Transporträder Spiegelmontage
<b>81.101.829</b>	Boatcover Maxi Tender (300-360cm)
<b>81.101.830</b>	Boatcover Tender (240-300cm)
<b>81.101.831</b>	Boatcover XXS (420-480cm). (Boatwidth max. 180cm)
<b>81.101.832</b>	Boatcover XS (420-480cm). (Boatwidth max 229cm)
<b>85.930.200</b>	Aluminium pole for boat covers 60-100cm







# SPECIFICATIONS

Boat type	Floor	Max. load weight (kg)	Max. engine in kW/HP	Package size (cm) without accessories	Package size floor (cm)	Max. persons (+1=child)	Number of air chambers	Length (cm)	Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)
<b>85.909.000 QLS200</b>	Slatted	300	1,8/2,5	93 x 47 x 20		2	3	200	134	36	18
<b>85.909.030 QLS230</b>	Slatted	325	2,9/4,0	98 x 45 x 25		2+1	3	230	134	36	20
<b>85.909.050 QLS250</b>	Slatted	350	3,7/5,0	98 x 50 x 25		2+1	3	250	152	42	23
<b>85.909.230 QLA230</b>	Air	350	2,9/4,0	98 x 45 x 25		2+1	3+1+1	230	134	36	26
<b>85.909.250 QLA250</b>	Air	400	4,4/6,0	98 x 50 x 25		2+1	3+1+1	250	152	42	28
<b>85.909.270 QLA270</b>	Air	410	4,4/6,0	100 x 52 x 21		3	3+1+1	270	152	42	29
<b>85.909.300 QLA300</b>	Air	425	7,4/10,0	100 x 51 x 24		4	3+1+1	300	152	42	31
<b>85.909.350 QLA350</b>	Air	490	11,0/15,0	112 x 50 x 21		5	3+1+1	350	180	45	40
<b>85.909.450 QLX250</b>	Aluminium	400	4,4/6,0	98 x 50 x 25	80 x 65 x 6	2+1	3+1	250	152	42	32
<b>85.909.470 QLX270</b>	Aluminium	410	4,4/6,0	100 x 52 x 21	80 x 65 x 10	3	3+1	270	152	42	40
<b>85.909.500 QLX300</b>	Aluminium	425	7,4/10,0	100 x 51 x 24	85 x 65 x 10	4	3+1	300	152	42	46
<b>85.909.550 QLX350</b>	Aluminium	490	11,0/15,0	112 x 50 x 21	100 x 65 x 10	5	3+1	350	180	45	56

The complete range of Inflatable boats Talamex consists of the following models.  
Ask your dealer for more information or visit [www.talamexinflatables.com](http://www.talamexinflatables.com)



Talamex Marine Products by Lankhorst Taselaar - Komeet 13 - 8448 CG Heerenveen - The Netherlands  
Tel: +31 (0)320 27 46 11 - E-mail: [sales@lankhorst-taselaar.nl](mailto:sales@lankhorst-taselaar.nl) - [www.talamexinflatables.com](http://www.talamexinflatables.com)

© 2020-01 Lankhorst Taselaar. All rights reserved.

Lankhorst Taselaar continuously explores means the products it designs, manufactures and distributes to improve. We strive to the utmost to produce up-to-date sales and service documentation. The technical specifications of engines, boats and accessories are ongoing subject to change. This brochure should not be regarded as a precise guide to find the latest technical information. Also, this brochure is not intended as a sales brochure for particular engine, boat or accessories. Distributors and dealers are no agents of Lankhorst Taselaar and has no authority to give explicit commitments on behalf of Lankhorst Taselaar, including but not limited to, statements with respect to a product, sales, applications or service. Not all products are available in all countries. Some products shown in this catalog are equipped with optional accessories. Please consult your dealer. Model, color, image, specifications changes reserved.